## antibodies -online.com





## XIAP Protein (Myc-DYKDDDDK Tag)



Image




Go to Product page

$\sim$	
( )\/\	rview
$\cup$	

20 μg
VIAD
XIAP
Human
HEK-293 Cells
Recombinant
This XIAP protein is labelled with Myc-DYKDDDDK Tag.
Antibody Production (AbP), Standard (STD)
<ul> <li>Recombinant human IAP3 / BIRC4 protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
> 80 % as determined by SDS-PAGE and Coomassie blue staining
XIAP
lap3,birc4 (XIAP Products)
This gene encodes a protein that belongs to a family of apoptotic suppressor proteins.  Members of this family share a conserved motif termed, baculovirus IAP repeat, which is necessary for their anti-apoptotic function. This protein functions through binding to tumor

## **Target Details**

	protein also inhibits at least two members of the caspase family of cell-death proteases, caspase-3 and caspase-7. Mutations in this gene are the cause of X-linked lymphoproliferative syndrome. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 2 and 11.[provided by RefSeq, Feb 2011].
Molecular Weight:	56.5 kDa
NCBI Accession:	NP_001158
Pathways:	Apoptosis, Caspase Cascade in Apoptosis, Transition Metal Ion Homeostasis
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



## **Western Blotting**

Image 1. Validation with Western Blot