antibodies .- online.com





INPP5K Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Image



| Go: | L - | D | -1. | - 4 | | |
|-----|---------------|------------------|----------|----------|--------------|-----------------|
| 1-0 | $\Gamma \cap$ | ν r \wedge | α | \sim T | \mathbf{n} | $\alpha \Delta$ |
| | w | 110 | uu | C I | υa | uc |

| Overview | |
|-------------------------------|---|
| Quantity: | 20 μg |
| Target: | INPP5K |
| Protein Characteristics: | Transcript Variant 1 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This INPP5K protein is labelled with Myc-DYKDDDDK Tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human INPP5K (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining |
| Target Details | |
| Target: | INPP5K |
| Alternative Name: | Inpp5k (INPP5K Products) |
| Background: | This gene encodes a protein with 5-phosphatase activity toward polyphosphate inositol. The protein localizes to the cytosol in regions lacking actin stress fibers. It is thought that this protein may negatively regulate the actin cytoskeleton. Alternatively spliced transcript variants encoding different isoforms have been identified. |

Target Details

| Molecular Weight: | 50.9 kDa |
|-------------------|--|
| NCBI Accession: | NP_057616 |
| Pathways: | Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process |


Application Details

| Application Notes: | Recombinant human proteins can be used for: | |
|--------------------|--|--|
| | Native antigens for optimized antibody production | |
| | Positive controls in ELISA and other antibody assays | |
| Comment: | The tag is located at the C-terminal. | |
| Restrictions: | For Research Use only | |

Handling

| Concentration: | 50 μg/mL | |
|------------------|---|--|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. | |
| Storage: | -80 °C | |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. | |

Images



Western Blotting

Image 1. Validation with Western Blot