antibodies - online.com





IL-24 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Image



Overview	
Quantity:	20 μg
Target:	IL-24 (IL24)
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL-24 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	

Product Details

Characteristics:

	 Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	

• Recombinant human Interleukin-24 / IL24 (transcript variant 1) protein expressed in HEK293

Target:	IL-24 (IL24)
Alternative Name:	Interleukin-24,il24 (IL24 Products)
Background:	This gene encodes a member of the IL10 family of cytokines. It was identified as a gene induced during terminal differentiation in melanoma cells. The protein encoded by this gene
	can induce apoptosis selectively in various cancer cells. Overexpression of this gene leads to

Target Details

Target Details	
	elevated expression of several GADD family genes, which correlates with the induction of
	apoptosis. The phosphorylation of mitogen-activated protein kinase 14 (MAPK7/P38), and heat
	shock 27 kDa protein 1 (HSPB2/HSP27) are found to be induced by this gene in melanoma
	cells, but not in normal immortal melanocytes. Alternatively spliced transcript variants encoding
	distinct isoforms have been reported.
Molecular Weight:	18.4 kDa
NCBI Accession:	NP_006841
Pathways:	Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Endopeptidase Activity,
	Autophagy
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot