antibodies .- online.com







anti-IVD antibody

Images



Overview

Quantity:	0.1 mL
Target:	IVD
Reactivity:	Human, Rat, Dog, Monkey
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IVD antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Flow Cytometry (FACS)

Product Details

Immunogen:	Full length human recombinant protein of human IVD (NP_002612) produced in HEK293T cell.
Clone:	1B10
Isotype:	lgG2b
Purification:	Purified from mouse ascites fluids by affinity chromatography
Target Details	

Target Details

Target:	IVD
Alternative Name:	IVD (IVD Products)
Molecular Weight:	46.5 kDa
Gene ID:	3712

Target Details

NCBI Accession:	NM_002225
HGNC:	3712
Pathways:	Monocarboxylic Acid Catabolic Process


Application Details

Application Notes:	WB 1:500, IHC 1:150, IF 1:100, FLOW 1:100
Comment:	The concentration of the product may vary between diferrent lots.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	0.5-1.0 mg/mL
Buffer:	PBS (PH 7.3) containing 1 % BSA, 50 % glycerol and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Images




Western Blotting

Image 1. HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY IVD (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 μ g per lane) were separated by SDS-PAGE and immunoblotted with anti-IVD.



Immunohistochemistry

Image 2. Immunohistochemical staining of paraffinembedded Human lymph node tissue using anti-IVD mouse monoclonal antibody. (ABIN2453187, Dilution 1:50)



Western Blotting

Image 3. Western blot analysis of extracts (35 μ g) from 9 different cell lines by using anti-IVD monoclonal antibody.