

Datasheet for ABIN2724327

Kallikrein 6 Protein (KLK6) (Transcript Variant A) (Myc-DYKDDDK Tag)



Go to Product pag

1 Image


Overview	
Quantity:	20 μg
Target:	Kallikrein 6 (KLK6)
Protein Characteristics:	Transcript Variant A
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Kallikrein 6 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	Recombinant human KLK6 / Kallikrein-6 (transcript variant A) protein expressed in HEK293
	cells. • Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Kallikrein 6 (KLK6)
Alternative Name:	Klk6,kallikrein-6 (KLK6 Products)
Background:	This gene encodes a member of the kallikrein subfamily of the peptidase S1 family of serine
	proteases. Growing evidence suggests that many kallikreins are implicated in carcinogenesis
	and some have potential as novel cancer and other disease biomarkers. The encoded

Storage Comment:

raiget betails	
	preproprotein is proteolytically processed to generate the mature protease. Expression of this protease is regulated by steroid hormones and may be elevated in multiple human cancers and in serum from psoriasis patients. The encoded protease may participate in the cleavage of amyloid precursor protein and alpha-synuclein, thus implicating this protease in Alzheimer&aposs and Parkinson&aposs disease, respectively. This gene is located in a gene cluster on chromosome 19. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed.
Molecular Weight:	25.1 kDa
NCBI Accession:	NP_002765
Pathways:	Complement System, Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C

immediately. Only 2-3 freeze thaw cycles are recommended.

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze



Western Blotting

Image 1. Validation with Western Blot