

Datasheet for ABIN2724332

Kallikrein 7 Protein (KLK7) (Transcript Variant 1) (His tag)





Go to Product page

_				
	۱۱ / ۱	rv		۱۸/
	' V '	 ı v	Ι.	v v

Quantity:	10 μg
Target:	Kallikrein 7 (KLK7)
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Kallikrein 7 protein is labelled with His tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human KLK7 / Kallikrein-7 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Characteristics: Purity:	cells.
	cells. • Produced with end-sequenced ORF clone
Purity:	cells. • Produced with end-sequenced ORF clone > 95 % as determined by SDS-PAGE and Coomassie blue staining
Purity: Endotoxin Level:	cells. • Produced with end-sequenced ORF clone > 95 % as determined by SDS-PAGE and Coomassie blue staining
Purity: Endotoxin Level: Target Details	cells. • Produced with end-sequenced ORF clone > 95 % as determined by SDS-PAGE and Coomassie blue staining < 0.1 EU per µg protein as determined by LAL test

encoded protein has chymotrypsin-like activity and plays a role in the proteolysis of intercellular
cohesive structures that precedes desquamation, the shedding of the outermost layer of the
epidermis. The encoded protein may play a role in cancer invasion and metastasis, and
increased expression of this gene is associated with unfavorable prognosis and progression of
several types of cancer. Polymorphisms in this gene may play a role in the development of
atopic dermatitis. Alternatively spliced transcript variants encoding multiple isoforms have been
observed for this gene, which is one of fifteen kallikrein subfamily members located in a gene
cluster on chromosome 19.


Molecular Weight:	26.2 kDa
NCBI Accession:	NP_005037
Pathways:	Complement System

Application Details

Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	

Handling

Concentration:	50 μg/mL
Buffer:	20 mM HEPES, 150 mM NaCl, pH 7.5. Avoid repeated freeze-thaw cycles. Stable for at least 3 months from receipt of products under proper storage and handling conditions.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot