antibodies -online.com





MAPK11 Protein (Myc-DYKDDDDK Tag)



Image




Go to Product page

Overview	
Quantity:	20 μg
Target:	MAPK11
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAPK11 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human MAP kinase p38 beta / MAPK11 protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	MAPK11
Alternative Name:	Map Kinase p38 Beta,mapk11 (MAPK11 Products)
Background:	This gene encodes a member of a family of protein kinases that are involved in the integration of biochemical signals for a wide variety of cellular processes, including cell proliferation, differentiation, transcriptional regulation, and development. The encoded protein can be activated by proinflammatory cytokines and environmental stresses through phosphorylation by mitogen activated protein kinase kinases (MKKs). Alternative splicing results in multiple

Target Details	
	transcript variants.
Molecular Weight:	41.2 kDa
NCBI Accession:	NP_002742
Pathways:	MAPK Signaling, Neurotrophin Signaling Pathway, Activation of Innate immune Response, Response to Water Deprivation, Regulation of Muscle Cell Differentiation, ER-Nucleus Signaling, Hepatitis C, Toll-Like Receptors Cascades, Signaling Events mediated by VEGFR1 and VEGFR2, Thromboxane A2 Receptor Signaling, BCR Signaling, S100 Proteins
Application Details	
Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot