
antibodies -online.com





MEF2C Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)







Go to Product page

_			
\cup)ve	rv	iew

Overview		
Quantity:	20 μg	
Target:	MEF2C	
Protein Characteristics:	Transcript Variant 1	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This MEF2C protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human MEF2C (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	MEF2C	
Alternative Name:	Mef2c (MEF2C Products)	
Background:	This locus encodes a member of the MADS box transcription enhancer factor 2 (MEF2) family	
	of proteins, which play a role in myogenesis. The encoded protein, MEF2 polypeptide C, has	
	both trans-activating and DNA binding activities. This protein may play a role in maintaining the	
	differentiated state of muscle cells. Mutations and deletions at this locus have been associated	


Target Details

	with severe mental retardation, stereotypic movements, epilepsy, and cerebral malformation.	
	Alternatively spliced transcript variants have been described.	
Molecular Weight:	51 kDa	
NCBI Accession:	NP_002388	
Pathways:	Neurotrophin Signaling Pathway, Activation of Innate immune Response, Cellular Response to	
	Molecule of Bacterial Origin, Carbohydrate Homeostasis, Chromatin Binding, Regulation of	
	Muscle Cell Differentiation, Skeletal Muscle Fiber Development, Toll-Like Receptors Cascades,	
	BCR Signaling	
Application Details		
A 12 12 AL 1		

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot