antibodies -online.com





MORF4L2 Protein (Transcript Variant 1) (His tag)



Image




Overview

Overview	
Quantity:	10 μg
Target:	MORF4L2
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MORF4L2 protein is labelled with His tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human MORF4L2 (transcript variant 1) protein expressed in E. coli. Produced with end-sequenced ORF clone
Purity:	> 95 % as determined by SDS-PAGE and Coomassie blue staining
Endotoxin Level:	< 0.1 EU per µg protein as determined by LAL test
Target Details	
Target:	MORF4L2
Alternative Name:	Morf4l2 (MORF4L2 Products)
Background:	Component of the NuA4 histone acetyltransferase complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histone H4 and H2A. This

- arget betano	
	modification may both alter nucleosome - DNA interactions and promote interaction of the
	modified histones with other proteins which positively regulate transcription. This complex may
	be required for the activation of transcriptional programs associated with oncogene and proto-
	oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative
	senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and helicase activities
	seem to be, at least in part, contributed by the association of RUVBL1 and RUVBL2 with EP400.
	NuA4 may also play a direct role in DNA repair when directly recruited to sites of DNA damage.
	Also component of the MSIN3A complex which acts to repress transcription by deacetylation
	of nucleosomal histones. [UniProtKB/Swiss-Prot Function]
Molecular Weight:	33.4 kDa
NCBI Accession:	NP_001135890
Pathways:	Regulation of Muscle Cell Differentiation

Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the N-terminal.
Restrictions:	For Research Use only
Handling	
Buffer:	Lyophilized from a 0.2 μM filtered solution of 20 mM Phosphate buffer, 150 mM NaCl, pH 7.4.
	Stable for at least 6 months from date of receipt under proper storage and handling conditions.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot