antibodies -online.com





MRPL52 Protein (Transcript Variant 1) (Myc-DYKDDDDK Tag)



Image



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview			
Quantity:	20 μg		
Target:	MRPL52		
Protein Characteristics:	Transcript Variant 1		
Origin:	Human		
Source:	HEK-293 Cells		
Protein Type:	Recombinant		
Purification tag / Conjugate:	This MRPL52 protein is labelled with Myc-DYKDDDDK Tag.		
Application:	Antibody Production (AbP), Standard (STD)		
Product Details			
Characteristics:	 Recombinant human MRPL52 (transcript variant 1) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 		
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining		
Target Details			
Target:	MRPL52		
Alternative Name:	Mrpl52 (MRPL52 Products)		
Background:	ound: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in p synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of small 28S subunit and a large 39S subunit. They have an estimated 75 % protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another		
Duonground.	synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) corsmall 28S subunit and a large 39S subunit. They have an estimated 75% protein to		

Target Details

difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein which has no bacterial homolog. Multiple transcript variants encoding different protein isoforms were identified through sequence analysis.

Molecular Weight:

13.5 kDa

NCBI Accession:

NP_848026

Application Details

Application Notes: Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment: The tag is located at the C-terminal.


Restrictions: For Research Use only

Handling

Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	

Storage Comment:

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot