
antibodies -online.com





MRPS28 Protein (Myc-DYKDDDDK Tag)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	20 μg
Target:	MRPS28
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MRPS28 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human MRPS28 protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	MRPS28
Alternative Name:	Mrps28 (MRPS28 Products)
Background:	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein
	synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a
	small 28S subunit and a large 39S subunit. They have an estimated 75 % protein to rRNA
	composition compared to prokaryotic ribosomes, where this ratio is reversed. Another
	difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter

Target Details

contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ	
greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition	
by sequence homology. This gene encodes a 28S subunit protein that has been called	
mitochondrial ribosomal protein S35 in the literature.	

Molecular Weight:	20.7 kDa
-------------------	----------

NCBI Accession: NP_054737


Application Details

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL	
Buffer:	fer: 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment: Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.		

Images



Western Blotting

Image 1. Validation with Western Blot