# antibodies -online.com





# MRPS7 Protein (Myc-DYKDDDDK Tag)



# Image



Go to	D		
	Pron	ויאווו	mane

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Overview	
Quantity:	20 μg
Target:	MRPS7
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MRPS7 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human MRPS7 protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	MRPS7
Alternative Name:	Mrps7 (MRPS7 Products)
Background:	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein
	synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a
	small 28S subunit and a large 39S subunit. They have an estimated 75 % protein to rRNA
	composition compared to prokaryotic ribosomes, where this ratio is reversed. Another
	difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter

#### **Target Details**

contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein. In the prokaryotic ribosome, the comparable protein is thought to play an essential role in organizing the 3&apos domain of the 16 S rRNA in the vicinity of the P- and A-sites. Pseudogenes corresponding to this gene are found on chromosomes 8p and 12p.

Molecular Weight:

28 kDa

NCBI Accession:

NP\_057055

#### **Application Details**

Application Notes: Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment: The tag is located at the C-terminal.

Restrictions: For Research Use only

### Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



# **Western Blotting**

Image 1. Validation with Western Blot