# antibodies -online.com





## NAGA Protein (Myc-DYKDDDDK Tag)



Overview

Origin:

Image



Go to	Prod	uct	page

Quantity:	20 μg
Target:	NAGA

Source:	HEK-293 Cells

Protein Type:	Recombinant

Application:	Antibody Production (	AbP	), Standard (	STD)	ļ

Human

#### **Product Details**

Characteristics:	<ul> <li>Recombinant numan NAGA protein expressed in HER293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

#### **Target Details**

Target:	NAGA
Alternative Name:	Naga (NAGA Products)
Background:	NAGA encodes the lysosomal enzyme alpha-N-acetylgalactosaminidase, which cleaves alpha-
	N-acetylgalactosaminyl moieties from glycoconjugates. Mutations in NAGA have been
	identified as the cause of Schindler disease types I and II (type II also known as Kanzaki
	disease).
Molecular Weight:	44.7 kDa

#### Target Details

NCBI Accession:	NP_	_000253


### **Application Details**

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

#### Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.

#### Images



#### **Western Blotting**

Image 1. Validation with Western Blot