# antibodies -online.com





# NCALD Protein (Transcript Variant 3) (Myc-DYKDDDDK Tag)



Image



Go to Product page

Overview	
Quantity:	20 μg
Target:	NCALD
Protein Characteristics:	Transcript Variant 3
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NCALD protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human NCALD (transcript variant 3) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

## Target Details

Target:	NCALD
Alternative Name:	Ncald (NCALD Products)
Background:	This gene encodes a member of the neuronal calcium sensor (NCS) family of calcium-binding proteins. The protein contains an N-terminal myristoylation signal and four EF-hand calcium
	binding loops. The protein is cytosolic at resting calcium levels however, elevated intracellular calcium levels induce a conformational change that exposes the myristoyl group, resulting in

#### **Target Details**

protein association with membranes and partial co-localization with the perinuclear trans-golgi network. The protein is thought to be a regulator of G protein-coupled receptor signal transduction. Several alternatively spliced variants of this gene have been determined, all of which encode the same protein additional variants may exist but their biological validity has not been determined.

Molecular Weight:

22.1 kDa

NCBI Accession:

NP\_001035716

#### **Application Details**

Application Notes:

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:


The tag is located at the C-terminal.

Restrictions:

For Research Use only

#### Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



## **Western Blotting**

Image 1. Validation with Western Blot