antibodies -online.com





NME1 Protein (Transcript Variant 2) (His tag)



Image




Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Overview		
Quantity:	10 μg	
Target:	NME1	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	Escherichia coli (E. coli)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This NME1 protein is labelled with His tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human NDP kinase A (transcript variant 2) protein expressed in E. coli. Produced with end-sequenced ORF clone 	
Purity:	> 95 % as determined by SDS-PAGE and Coomassie blue staining	
Endotoxin Level:	< 0.1 EU per µg protein as determined by LAL test	
Target Details		
Target:	NME1	
Alternative Name:	Ndp Kinase A (NME1 Products)	
Background:	This gene (NME1) was identified because of its reduced mRNA transcript levels in highly	
	metastatic cells. Nucleoside diphosphate kinase (NDK) exists as a hexamer composed of	

l arget Details		
	&aposA' (encoded by this gene) and &aposB' (encoded by NME2) isoforms.	
	Mutations in this gene have been identified in aggressive neuroblastomas. Two transcript	
	variants encoding different isoforms have been found for this gene. Co-transcription of this	
	gene and the neighboring downstream gene (NME2) generates naturally-occurring transcripts	
	(NME1-NME2), which encodes a fusion protein comprised of sequence sharing identity with	
	each individual gene product.	
Molecular Weight:	19.3 kDa	
NCBI Accession:	NP_000260	
Pathways:	Apoptosis, Nucleotide Phosphorylation, Carbohydrate Homeostasis, Ribonucleoside	
	Biosynthetic Process	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	20 mM Tris-HCl, 1 mM DTT, 10 % Glycerol, pH 7.5. Avoid repeated freeze-thaw cycles. Stable	
	for at least 3 months from receipt of products under proper storage and handling conditions.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze	

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot