antibodies - online.com







anti-NDUFB9 antibody (AA 3-179)

Images



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

- OVERVIEW		
Quantity:	0.1 mL	
Target:	NDUFB9	
Binding Specificity:	AA 3-179	
Reactivity:	Human, Monkey	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This NDUFB9 antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS)	
Product Details		
Immunogen:	Human fragment corresponding to amino acids 3-179 of human NDUFB9 (NP_001893) produced in E.coli.	
Clone:	8B7	
Isotype:	lgG2b	
Characteristics:	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9, 22 kDa (NDUFB9),	
	nuclear gene encoding mitochondrial protein	
Purification:	Purified from mouse ascites fluids by affinity chromatography	
Target Details		
Target:	NDUFB9	

Target Details


Alternative Name:	NDUFB9 (NDUFB9 Products)	
Molecular Weight:	21.7 kDa	
Gene ID:	4715	
NCBI Accession:	NM_005005	
HGNC:	4715	
Pathways:	Sensory Perception of Sound, SARS-CoV-2 Protein Interactome	

Application Details

Application Notes:	WB 1:1000~2000, FLOW 1:100
Comment:	The concentration of the product may vary between diferrent lots.
Restrictions:	For Research Use only


Handling

Format:	Liquid	
Concentration:	0.5-1.0 mg/mL	
Buffer:	PBS (PH 7.3) containing 1 % BSA, 50 % glycerol and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	



Western Blotting

Image 1. HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY NDUFB9 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 μg per lane) were separated by SDS-PAGE and immunoblotted with anti-NDUFB9.



Flow Cytometry

Image 2. Flow cytometric Analysis of Hela cells, using anti-NDUFB9 antibody (ABIN2454333), (Red), compared to a nonspecific negative control antibody, (Blue).