## antibodies.com

## Datasheet for ABIN2728355 PCBP2 Protein (Transcript Variant 7) (Myc-DYKDDDDK Tag)



Overview

Image


Quantity:	20 µg
Target:	PCBP2
Protein Characteristics:	Transcript Variant 7
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PCBP2 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human PCBP2 / hnRNP-E2 (transcript variant 7) protein expressed in HEK293 cells.</li> </ul>
	Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	

Target:	PCBP2
Alternative Name:	Pcbp2,hnrnp-e2 (PCBP2 Products)
Background:	The protein encoded by this gene appears to be multifunctional. Along with PCBP-1 and hnRNPK, it is one of the major cellular poly(rC)-binding proteins. The encoded protein contains
	three K-homologous (KH) domains which may be involved in RNA binding. Together with PCBP-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2728355 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	1, this protein also functions as a translational coactivator of poliovirus RNA via a sequence-
	specific interaction with stem-loop IV of the IRES, promoting poliovirus RNA replication by
	binding to its 5'-terminal cloverleaf structure. It has also been implicated in translational control
	of the 15-lipoxygenase mRNA, human papillomavirus type 16 L2 mRNA, and hepatitis A virus
	RNA. The encoded protein is also suggested to play a part in formation of a sequence-specific
	alpha-globin mRNP complex which is associated with alpha-globin mRNA stability. This
	multiexon structural mRNA is thought to be retrotransposed to generate PCBP-1, an intronless
	gene with functions similar to that of PCBP2. This gene and PCBP-1 have paralogous genes
	(PCBP3 and PCBP4) which are thought to have arisen as a result of duplication events of entire
	genes. Thsi gene also has two processed pseudogenes (PCBP2P1 and PCBP2P2). Multiple
	transcript variants encoding different isoforms have been found for this gene.
Molecular Weight:	33.3 kDa
NCBI Accession:	NP_001122386
Application Dataila	
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2728355 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2728355 | 09/11/2023 | Copyright antibodies-online. All rights reserved.