antibodies - online.com





RAE1 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Overview

Image



Quantity:	20 μg
Target:	RAE1
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAE1 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	


Characteristics:	 Recombinant human RAE1 (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining

Target Details

Target:	RAE1
Alternative Name:	Rae1 (RAE1 Products)
Background:	Mutations in the Schizosaccharomyces pombe Rae1 and Saccharomyces cerevisiae Gle2
	genes have been shown to result in accumulation of poly(A)-containing mRNA in the nucleus,
	suggesting that the encoded proteins are involved in RNA export. The protein encoded by this
	gene is a homolog of yeast Rae1. It contains four WD40 motifs, and has been shown to localize

Target Details

- arget Betane	
	to distinct foci in the nucleoplasm, to the nuclear rim, and to meshwork-like structures throughout the cytoplasm. This gene is thought to be involved in nucleocytoplasmic transport, and in directly or indirectly attaching cytoplasmic mRNPs to the cytoskeleton. Alternatively spliced transcript variants encoding the same protein have been found for this gene.
Molecular Weight:	40.8 kDa
NCBI Accession:	NP_001015885
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot