antibodies .- online.com







RANBP1 Protein (His tag)





\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview		
Quantity:	20 μg	
Target:	RANBP1	
Origin:	Human	
Source:	Insect cells (Sf9)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This RANBP1 protein is labelled with His tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human RANBP1 protein expressed in Sf9 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	RANBP1	
Alternative Name:	Ranbp1 (RANBP1 Products)	
Background:	This gene is the cellular homolog of viral raf gene (v-raf). The encoded protein is a MAP kinase	
	kinase kinase (MAP3K), which functions downstream of the Ras family of membrane	
	associated GTPases to which it binds directly. Once activated, the cellular RAF1 protein can	
	phosphorylate to activate the dual specificity protein kinases MEK1 and MEK2, which in turn	
	phosphorylate to activate the serine/threonine specific protein kinases, ERK1 and ERK2.	

Target Details	
	Activated ERKs are pleiotropic effectors of cell physiology and play an important role in the control of gene expression involved in the cell division cycle, apoptosis, cell differentiation and cell migration. Mutations in this gene are associated with Noonan syndrome 5 and LEOPARD syndrome 2.
Molecular Weight:	39 kDa
NCBI Accession:	NP_002873
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays

Handling


Comment:

Restrictions:

Concentration:	50 μg/mL	
Buffer:	50 mM Tris-HCl pH 8.0, 150 mM NaCl, 20 % glycerol. Store at -80C. Avoid repeated freeze-thaw cycles. Stable for at least 3 months from receipt of products under proper storage and handling conditions.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	

The tag is located at the N-terminal.

For Research Use only



Western Blotting

Image 1. Validation with Western Blot