antibodies - online.com







RER1 Protein (Myc-DYKDDDDK Tag)



Image



| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Quantity: | 20 μg | |
|-------------------------------|--|--|
| Target: | RER1 | |
| Origin: | Human | |
| Source: | HEK-293 Cells | |
| Protein Type: | Recombinant | |
| Purification tag / Conjugate: | This RER1 protein is labelled with Myc-DYKDDDDK Tag. | |
| Application: | Antibody Production (AbP), Standard (STD) | |
| Product Details | | |
| Characteristics: | Recombinant human RER1 protein expressed in HEK293 cells. Produced with end-sequenced ORF clone | |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining | |
| Target Details | | |
| Target: | RER1 | |
| Alternative Name: | Rer1 (RER1 Products) | |
| Background: | The protein encoded by this gene is a multi-pass membrane protein that is localized to the golgi apparatus. It is involved in the retention of endoplasmic reticulum (ER) membrane proteins in the ER and retrieval of ER membrane proteins from the early Golgi compartment to facilitate gamma-secretase complex assembly. | |
| Molecular Weight: | 22.8 kDa | |

Target Details


Application Details

| Application Notes: | Recombinant human proteins can be used for: | |
|--------------------|--|--|
| | Native antigens for optimized antibody production | |
| | Positive controls in ELISA and other antibody assays | |
| Comment: | The tag is located at the C-terminal. | |
| Restrictions: | For Research Use only | |

Handling

| Concentration: | 50 μg/mL | |
|------------------|---|--|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. | |
| Storage: | -80 °C | |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. | |

Images



Western Blotting

Image 1. Validation with Western Blot