antibodies -online.com





RGMA Protein (Myc-DYKDDDDK Tag)



Image



Go to Product page


| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Overview | | |
|-------------------------------|--|--|
| Quantity: | 20 μg | |
| Target: | RGMA | |
| Origin: | Human | |
| Source: | HEK-293 Cells | |
| Protein Type: | Recombinant | |
| Purification tag / Conjugate: | This RGMA protein is labelled with Myc-DYKDDDDK Tag. | |
| Application: | Antibody Production (AbP), Standard (STD) | |
| Product Details | | |
| Characteristics: | Recombinant human RGMA / RGM protein expressed in HEK293 cells. Produced with end-sequenced ORF clone | |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining | |
| Target Details | | |
| Target: | RGMA | |
| Alternative Name: | Rgma,rgm (RGMA Products) | |
| Background: | This gene encodes a member of the repulsive guidance molecule family. The encoded protein is a glycosylphosphatidylinositol-anchored glycoprotein that functions as an axon guidance protein in the developing and adult central nervous system. This protein may also function as a tumor suppressor in some cancers. Alternate splicing results in multiple transcript variants. | |
| Molecular Weight: | 49.2 kDa | |
| | | |

Target Details

| l arget Details | | |
|---------------------|---|--|
| NCBI Accession: | NP_064596 | |
| Pathways: | Tube Formation | |
| Application Details | | |
| Application Notes: | Recombinant human proteins can be used for: | |
| | Native antigens for optimized antibody production | |
| | Positive controls in ELISA and other antibody assays | |
| Comment: | The tag is located at the C-terminal. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Concentration: | 50 μg/mL | |
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. | |
| Storage: | -80 °C | |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. | |

Images



Western Blotting

Image 1. Validation with Western Blot