antibodies.com

Datasheet for ABIN2730811 RGS13 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Overview


Image

Quantity:	20 µg
Target:	RGS13
Protein Characteristics:	Transcript Variant 2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RGS13 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human RGS13 (transcript variant 2) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	RGS13
Alternative Name:	Rgs13 (RGS13 Products)
Background:	The protein encoded by this gene is a member of the regulator of G protein signaling (RGS)
	family. RGS family members share similarity with S. cerevisiae SST2 and C. elegans egl-10
	proteins, which contain a characteristic conserved RGS domain. RGS proteins accelerate
	GTPase activity of G protein alpha-subunits, thereby driving G protein into their inactive GDP-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2730811 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	bound form, thus negatively regulating G protein signaling. RGS proteins have been implicated in the fine tuning of a variety of cellular events in response to G protein-coupled receptor activation. The biological function of this gene, however, is unknown. Two transcript variants encoding the same isoform exist.
Molecular Weight:	19 kDa
NCBI Accession:	NP_658912
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2730811 | 09/11/2023 | Copyright antibodies-online. All rights reserved.