
# antibodies -online.com





## RNH1 Protein (Transcript Variant 4) (Myc-DYKDDDDK Tag)



#### **Image**

Background:



Overview	
Quantity:	20 μg
Target:	RNH1
Protein Characteristics:	Transcript Variant 4
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNH1 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human Ribonuclease inhibitor (RNH1) (transcript variant 4) protein expressed in HEK293 cells.</li> </ul>
	Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	RNH1
Alternative Name:	Ribonuclease Inhibitor (Rnh1) (RNH1 Products)

Placental ribonuclease inhibitor (PRI) is a member of a family of proteinaceous cytoplasmic

RNase inhibitors that occur in many tissues and bind to both intracellular and extracellular

RNases (summarized by Lee et al., 1988 [PubMed 3219362]). In addition to control of

#### **Target Details**

intracellular RNases, the inhibitor may have a role in the regulation of angiogenin (MIM 105850)		
Ribonuclease inhibitor, of 50,000 Da, binds to ribonucleases and holds them in a latent form.		
Since neutral and alkaline ribonucleases probably play a critical role in the turnover of RNA in		
eukaryotic cells, RNH may be essential for control of mRNA turnover the interaction of		
eukaryotic cells with ribonuclease may be reversible in vivo.[supplied by OMIM, Jul 2010].		

Molecular Weight: 49.8 kDa


NCBI Accession: NP\_976319

### **Application Details**

Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

#### Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



#### **Western Blotting**

Image 1. Validation with Western Blot