antibodies -online.com





S100A13 Protein (Transcript Variant 5) (Myc-DYKDDDDK Tag)



Image



Go to Product page

()\ /	erv	
() (/	\Box \cup	I - VV
~ v	CI V	10 11


Overview	
Quantity:	20 μg
Target:	S100A13
Protein Characteristics:	Transcript Variant 5
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This S100A13 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	 Recombinant human S100A13 (transcript variant 5) protein expressed in HEK293 cells. Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	S100A13
Alternative Name:	s100a13 (S100A13 Products)
Background:	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-
	hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a
	wide range of cells, and involved in the regulation of a number of cellular processes such as cell
	cycle progression and differentiation. S100 genes include at least 13 members which are

Target Details

Target Details	
	located as a cluster on chromosome 1q21. This protein is widely expressed in various types of tissues with a high expression level in thyroid gland. In smooth muscle cells, this protein coexpresses with other family members in the nucleus and in stress fibers, suggesting diverse functions in signal transduction. Multiple alternatively spliced transcript variants encoding the same protein have been found for this gene.
Molecular Weight:	11.3 kDa
NCBI Accession:	NP_001019384
Pathways:	S100 Proteins
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only

Handling

Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot