antibodies - online.com







serine Dehydratase Protein (SDS) (Myc-DYKDDDDK Tag)



Image



$C \circ + \circ$	Dradi	int no	~
Go to	Prout	ıcı ba	Uŧ


()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	20 μg	
Target:	serine Dehydratase (SDS)	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This serine Dehydratase protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	 Recombinant human SDS / SDH protein expressed in HEK293 cells. Produced with end-sequenced ORF clone 	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	serine Dehydratase (SDS)	
Alternative Name:	Sds,sdh (SDS Products)	
Background:	This gene encodes one of three enzymes that are involved in metabolizing serine and glycine. L-serine dehydratase converts L-serine to pyruvate and ammonia and requires pyridoxal phosphate as a cofactor. The encoded protein can also metabolize threonine to NH4+ and 2-ketobutyrate. The encoded protein is found predominantly in the liver.	
Molecular Weight:	34.4 kDa	

Target Details

Target Details		
NCBI Accession:	NP_006834	
Pathways:	Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	

Images



Western Blotting

Image 1. Validation with Western Blot