antibodies -online.com





SCG5 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image



Go to Product page

| (' |)ver | 1/1/ | A / / |
|--------|----------|---------|-------|
| ι. | / \/ └─1 | \/ (⊢ | ٦ \/\ |
| \sim | , A C I | V 1 C | , v v |
| | | | |

| Overview | |
|-------------------------------|--|
| Quantity: | 20 μg |
| Target: | SCG5 |
| Protein Characteristics: | Transcript Variant 2 |
| Origin: | Human |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This SCG5 protein is labelled with Myc-DYKDDDDK Tag. |
| Application: | Antibody Production (AbP), Standard (STD) |
| Product Details | |
| Characteristics: | Recombinant human Secretogranin-5 (SCG5) (transcript variant 2) protein expressed in |
| | HEK293 cells.Produced with end-sequenced ORF clone |
| Purity: | > 80 % as determined by SDS-PAGE and Coomassie blue staining |
| Target Details | |
| Target: | SCG5 |
| Alternative Name: | Secretogranin-5 (Scg5) (SCG5 Products) |
| Background: | This gene encodes a secreted chaperone protein that prevents the aggregation of other |
| | secreted proteins, including proteins that are associated with neurodegenerative and metabolic |
| | disease. The encoded protein may be best known for its role in the trafficking and activation of |

Target Details

| | prohormone convertase PC2 (encoded by Gene ID: 5126). Phosphorylation of the encoded protein has been shown to have an inhibitory effect on its chaperone function. |
|-------------------|---|
| Molecular Weight: | 23.5 kDa |
| NCBI Accession: | NP_003011 |


Application Details

| Application Notes: | Recombinant human proteins can be used for: |
|--------------------|--|
| | Native antigens for optimized antibody production |
| | Positive controls in ELISA and other antibody assays |
| Comment: | The tag is located at the C-terminal. |
| Restrictions: | For Research Use only |

Handling

| Concentration: | 50 μg/mL |
|------------------|---|
| Buffer: | 25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended. |

Images



Western Blotting

Image 1. Validation with Western Blot