## antibodies.com

## Datasheet for ABIN2732393 SNX15 Protein (Transcript Variant A) (Myc-DYKDDDDK Tag)



Overview

Alternative Name:

Image

Quantity:	20 µg
Target:	SNX15
Protein Characteristics:	Transcript Variant A
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SNX15 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human Sorting nexin-15 (SNX15) (transcript variant A) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	SNX15
	$\Omega_{\rm entropy}$ in $\Delta E \left( \Omega_{\rm ent} \Delta E \right) \left( \Omega_{\rm ent} \Delta E \right)$


Background:	This gene encodes a member of the sorting nexin family. Members of this family contain a
	phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular
	trafficking. Overexpression of this gene results in a decrease in the processing of insulin and

Sorting Nexin-15 (Snx15) (SNX15 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2732393 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	hepatocyte growth factor receptors to their mature subunits. This decrease is caused by the mislocalization of furin, the endoprotease responsible for cleavage of insulin and hepatocyte growth factor receptors. This protein is involved in endosomal trafficking from the plasma membrane to recycling endosomes or the trans-Golgi network. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the upstream ADP-ribosylation factor-like 2 (ARL2) gene.
Molecular Weight:	38.1 kDa
NCBI Accession:	NP_037438
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2732393 | 09/11/2023 | Copyright antibodies-online. All rights reserved.