

Datasheet for ABIN2733688

Thyroperoxidase Protein (Transcript Variant 1) (Myc-DYKDDDK Tag)





Go to Product page

\sim	
()\/△	rview
\cup	1 410 44

Overview	
Quantity:	20 μg
Target:	Thyroperoxidase (TPO)
Protein Characteristics:	Transcript Variant 1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Thyroperoxidase protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	Recombinant human Thyroid peroxidase (TPO) (transcript variant 1) protein expressed in
	HEK293 cells.Produced with end-sequenced ORF clone
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	Thyroperoxidase (TPO)
Abstract:	TPO Products
Background:	This gene encodes a membrane-bound glycoprotein. The encoded protein acts as an enzyme
	and plays a central role in thyroid gland function. The protein functions in the iodination of
	tyrosine residues in thyroglobulin and phenoxy-ester formation between pairs of iodinated


Target Details

Storage Comment:

Target Details	
	tyrosines to generate the thyroid hormones, thyroxine and triiodothyronine. Mutations in this gene are associated with several disorders of thyroid hormonogenesis, including congenital hypothyroidism, congenital goiter, and thyroid hormone organification defect IIA. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but the full-length nature of some variants has not been determined.
Molecular Weight:	102.8 kDa
NCBI Accession:	NP_000538
Pathways:	Thyroid Hormone Synthesis
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot