antibodies -online.com





TRIOBP Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image




Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview		
Quantity:	20 μg	
Target:	TRIOBP	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This TRIOBP protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human TRIOBP / TARA (transcript variant 2) protein expressed in HEK293	
	cells.Produced with end-sequenced ORF clone	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	TRIOBP	
Alternative Name:	Triobp,tara (TRIOBP Products)	
Background:	This gene encodes a protein with an N-terminal pleckstrin homology domain and a C-terminal	
	coiled-coil region. The protein interacts with trio, which is involved with neural tissue	
	development and controlling actin cytoskeleton organization, cell motility and cell growth. The	

Target Details

- a. get 2 etae		
	protein also associates with F-actin and stabilizes F-actin structures. Mutations in this gene have been associated with a form of autosomal recessive nonsyndromic deafness. Multiple alternatively spliced transcript variants that would encode different isoforms have been found for this gene, however some transcripts may be subject to nonsense-mediated decay (NMD).	
Molecular Weight:	47.4 kDa	
NCBI Accession:	NP_619538	
Pathways:	Regulation of Actin Filament Polymerization	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.	



Western Blotting

Image 1. Validation with Western Blot