

Datasheet for ABIN2734461

TSSK2 Protein (Myc-DYKDDDDK Tag)[Go to Product page](#)**2** Images

Overview

Quantity:	20 µg
Target:	TSSK2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This TSSK2 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Functional Studies (Func), Antibody Production (AbP), Protein Interaction (PI), Standard (STD)

Product Details

Specificity:	Optimal preservation of protein structure, post-translational modifications and functions.
Characteristics:	<ul style="list-style-type: none">• Recombinant human TSSK2 protein expressed in HEK293 cells.• Produced with end-sequenced ORF clone• Tested for bioactivity.
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Biological Activity Comment:	TSSK2 activity verified in a biochemical assay;,TSSK2 activity verified in a biochemical assay;,TSSK2 activity verified in a biochemical assay;,TSSK2 activity verified in a biochemical assay;

Target Details

Target:	TSSK2
---------	-------

Target Details


Alternative Name:	Tssk2 (TSSK2 Products)
Background:	TSSK2 belongs to a family of serine/threonine kinases highly expressed in testis (Hao et al., 2004 [PubMed 15044604]).[supplied by OMIM, Mar 2008].
Molecular Weight:	40.8 kDa
NCBI Accession:	NP_443732

Application Details

Application Notes:	Recombinant human proteins can be used for: Native antigens for optimized antibody production Positive controls in ELISA and other antibody assays Protein-protein interaction In vitro biochemical assays and cell-based functional assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only


Handling

Concentration:	> 50 µg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot



Activity Assay

Image 2. Bioactivity measured with Activity Assay