# antibodies -online.com





## Uromodulin Protein (UMOD) (Transcript Variant 1) (Myc-DYKDDDK Tag)



Go to Product pag

# 1 Image

| Overview                      |   |
|-------------------------------|---|
| Quantity:                     | 20 μg   |
| Target:                       | Uromodulin (UMOD)   |
| Protein Characteristics:      | Transcript Variant 1  |
| Origin:                       | Human   |
| Source:                       | HEK-293 Cells   |
| Protein Type:                 | Recombinant   |
| Purification tag / Conjugate: | This Uromodulin protein is labelled with Myc-DYKDDDDK Tag.  |
| Application:                  | Antibody Production (AbP), Standard (STD)   |
| Product Details               |   |
| Characteristics:              | <ul> <li>Recombinant human Uromodulin (UMOD) (transcript variant 1) protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>                          |
| Purity:                       | > 80 % as determined by SDS-PAGE and Coomassie blue staining  |
| Target Details                |   |
| Target:                       | Uromodulin (UMOD)   |
| Abstract:                     | UMOD Products   |
| Background:                   | The protein encoded by this gene is the most abundant protein in mammalian urine under physiological conditions. Its excretion in urine follows proteolytic cleavage of the ectodomain of |

its glycosyl phosphatidylinosital-anchored counterpart that is situated on the luminal cell

#### **Target Details**

surface of the loop of Henle. This protein may act as a constitutive inhibitor of calcium crystallization in renal fluids. Excretion of this protein in urine may provide defense against urinary tract infections caused by uropathogenic bacteria. Defects in this gene are associated with the renal disorders medullary cystic kidney disease-2 (MCKD2), glomerulocystic kidney disease with hyperuricemia and isosthenuria (GCKDHI), and familial juvenile hyperuricemic nephropathy (FJHN). Alternative splicing of this gene results in multiple transcript variants.

Molecular Weight:

67.1 kDa

NCBI Accession:

NP\_003352

#### **Application Details**

Application Notes:

Recombinant human proteins can be used for:

Native antigens for optimized antibody production

Positive controls in ELISA and other antibody assays

Comment:

The tag is located at the C-terminal.

Restrictions:

For Research Use only

### Handling

 $50 \, \mu g/mL$ 

Buffer:

25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.


Storage:

-80 °C

Storage Comment:

Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze

immediately. Only 2-3 freeze thaw cycles are recommended.



## **Western Blotting**

Image 1. Validation with Western Blot