# antibodies - online.com







## VPS72 Protein (Myc-DYKDDDDK Tag)



### Image




Go to	Draa	110+	0000
(¬() (()	PIOO	11 1( 21	1120

( )	11	$\sim$	rv		۱ ۸
	1 \ /	⊢	I \/	╙	1/1

Quantity:	20 μg
Target:	VPS72
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This VPS72 protein is labelled with Myc-DYKDDDDK Tag.
Application:	Antibody Production (AbP), Standard (STD)
Product Details	
Characteristics:	<ul> <li>Recombinant human VPS72 protein expressed in HEK293 cells.</li> <li>Produced with end-sequenced ORF clone</li> </ul>
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining
Target Details	
Target:	VPS72
Alternative Name:	Vps72 (VPS72 Products)
Background:	The protein encoded by this gene is a shared subunit of two multi-component complexes, the
	histone acetyltransferase complex TRRAP/TIP60 as well as the chromatin remodeling SRCAP-
	containing complex. The TRRAP/TIP60 complex acetylates nucleosomal histones important for
	transcriptional regulation, double strand DNA break repair and apoptosis. The SRCAP-
	containing complex catalyzes the exchange of histone H2A with the histone variant Htz1

#### **Target Details**

- Target Details	
	(H2AFZ) into nucleosomes. This protein may be responsible for binding H2AFZ, which has a role in chromosome segregation. This protein may also have a role in regulating long-term
	hematopoietic stem cell activity. Alternative splicing results in multiple transcript variants that encode different protein isoforms.
Molecular Weight:	40.4 kDa
NCBI Accession:	NP_005988
Pathways:	Stem Cell Maintenance
Application Details	
Application Notes:	Recombinant human proteins can be used for:
	Native antigens for optimized antibody production
	Positive controls in ELISA and other antibody assays
Comment:	The tag is located at the C-terminal.
Restrictions:	For Research Use only
Handling	
Concentration:	50 μg/mL
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Storage:	-80 °C
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze
	immediately. Only 2-3 freeze thaw cycles are recommended.



### **Western Blotting**

Image 1. Validation with Western Blot