antibodies -online.com





WRAP53 Protein (Transcript Variant 2) (Myc-DYKDDDDK Tag)



Image




Go to Product page

\sim					
	1//	⊃r	V/I	Φ\	Λ

Overview		
Quantity:	20 μg	
Target:	WRAP53	
Protein Characteristics:	Transcript Variant 2	
Origin:	Human	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This WRAP53 protein is labelled with Myc-DYKDDDDK Tag.	
Application:	Antibody Production (AbP), Standard (STD)	
Product Details		
Characteristics:	Recombinant human WDR79 / TCAB1 (transcript variant 2) protein expressed in HEK293	
	cells. • Produced with end-sequenced ORF clone	
Purity:	> 80 % as determined by SDS-PAGE and Coomassie blue staining	
Target Details		
Target:	WRAP53	
Alternative Name:	Wdr79,tcab1 (WRAP53 Products)	
Background:	This gene encodes an essential component of the telomerase holoenzyme complex, a	
	ribonucleoprotein complex required for telomere synthesis. This protein is enriched in Cajal	
	bodies, nuclear sites of RNP processing that are important for telomerase function. It interacts	

rarget Details		
	with dyskerin, TERT and TERC, other components of active telomerase, and with small Cajal body RNAs (scaRNAs), which are involved in modifying splicing RNAs. This mRNA also	
	functions as a p53 antisense transcript, that regulates endogenous p53 mRNA levels and	
	further induction of p53 protein by targeting the 5' untranslated region of p53 mRNA.	
	Alternatively spliced transcript variants which differ only in the 5' UTR have been found for this	
	gene.	
Molecular Weight:	59.1 kDa	
NCBI Accession:	NP_001137462	
Pathways:	Telomere Maintenance	
Application Details		
Application Notes:	Recombinant human proteins can be used for:	
	Native antigens for optimized antibody production	
	Positive controls in ELISA and other antibody assays	
Comment:	The tag is located at the C-terminal.	
Restrictions:	For Research Use only	
Handling		
Concentration:	50 μg/mL	
Buffer:	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C. Thaw on ice, aliquot to individual single-use tubes, and then re-freeze	

immediately. Only 2-3 freeze thaw cycles are recommended.



Western Blotting

Image 1. Validation with Western Blot