

Datasheet for ABIN2738467
anti-BAD antibody



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µg
Target:	BAD
Reactivity:	Mouse, Rat, Monkey, Rabbit, Cow, Dog, Pig, Drosophila melanogaster, Hamster, Sheep
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAD antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide derived from the sequence of mouse Bad. Type of Immunogen: Synthetic peptide
Purification:	Protein A purified

Target Details

Target:	BAD
Alternative Name:	BAD (BAD Products)
Background:	Name/Gene ID: BAD Family: Apoptosis

Target Details

Synonyms: BAD, BBC2, Bcl-2-like protein 8, BCL2-binding component 6, BCL2L8, BBC6, BCL-X/BCL-2 binding protein, Bcl-2-binding component 6, Bcl2 antagonist of cell death, BCL2-binding protein, Bcl2-L-8


Gene ID:	572
Pathways:	MAPK Signaling , PI3K-Akt Signaling , RTK Signaling , Apoptosis , Fc-epsilon Receptor Signaling Pathway , Positive Regulation of Peptide Hormone Secretion , Carbohydrate Homeostasis , Positive Regulation of Endopeptidase Activity , Regulation of Carbohydrate Metabolic Process , Hepatitis C , CXCR4-mediated Signaling Events

Application Details

Application Notes:	Approved: IHC, IHC-P (5 µg/mL), WB Usage: Detects a band of ~23 kDa by Western blot.
Comment:	Target Species of Antibody: Mouse
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.2, 50 % glycerol, 0.09 % azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Adrenal: Formalin-Fixed, Paraffin-Embedded (FFPE)