.-online.com antibodies

Datasheet for ABIN2748104 FGFBP1 ELISA Kit



Overview

Quantity:	96 tests
Target:	FGFBP1
Reactivity:	Rat
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details

Purpose:	Custom Rat FGF-BP (FGFBP1) ELISA Kit.
Sample Type:	Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Lysate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	The antibody pair provided in this kit recognizes Rat FGF-BP (FGFBP1)
Characteristics:	 Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data
Components:	 Pre-Coated 96-well Strip Microplate Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard Biotinylated Detection Antibody

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2748104 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	Streptavidin-Conjugated HRPTMB One-Step Substrate
Material not included:	Distilled or deionized water
	 Precision pipettes to deliver 2 µL to 1 µL volumes
	 Adjustable 1-25 µL pipettes for reagent preparation
	 100 µL and 1 liter graduated cylinders
	Tubes to prepare standard and sample dilutions
	Absorbent paper
	Microplate reader capable of measuring absorbance at 450nm
	Log-log graph paper or computer and software for ELISA data analysis

Target Details

-	
Target:	FGFBP1
Alternative Name:	FGF-BP (FGFBP1 Products)
Background:	FGF-BP (FGFBP1)
Gene ID:	64535
UniProt:	Q9QY10

Application Details

Sample Volume:	100 µL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 µL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μ L of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μ L of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.
	8. Add 100 μ L of TMB One-Step Substrate Reagent to each well.
	9. Incubate 30 min at RT.
	10. Add 50 μ L of Stop Solution to each well.
	11. Read at 450 nm immediately.
Assay Procedure:	Prepare all reagents, samples and standards as instructed in the manual.Add 100 μL of
	standard or sample to each well.Incubate 2.5 h at RT or O/N at 4 °C.Add 100 μL of prepared
	biotin antibody to each well.Incubate 1 h at RT.Add 100 μ L of prepared Streptavidin solution to
Intern	v.antibodies-online.com www.antikoerper-online.de www.anticorps-enligne.fr www.antibodies-online.cn ational: +49 (0)241 95 163 153 USA & Canada: +1 877 302 8632 support@antibodies-online.com 3 Product datasheet for ABIN2748104 09/11/2023 Copyright antibodies-online. All rights reserved.

Application Details	
	each well.Incubate 45 min at RT.Add 100 μL of TMB One-Step Substrate Reagent to each well.Incubate 30 min at RT.Add 50 μL of Stop Solution to each well.Read at 450 nm immediately.
Restrictions:	For Research Use only
Handling	
Storage:	-20 °C
Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C.
Expiry Date:	6 months