.-online.com antibodies

Datasheet for ABIN2748120 Galectin 3 ELISA Kit



Overview

Quantity:	96 tests
Target:	Galectin 3 (LGALS3)
Reactivity:	Mouse, Rhesus Monkey
Method Type:	Sandwich ELISA
Detection Range:	20.48-5000 pg/mL
Minimum Detection Limit:	20.48 pg/mL
Application:	ELISA

Product Details

Purpose:	Rhesus Monkey Galectin-3 ELISA Kit for Serum, Plasma, and Cell Culture Supernatants.
Sample Type:	Plasma, Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This ELISA antibody pair recognizes Rhesus Monkey Galectin-3.
Sensitivity:	20 pg/mL
Characteristics:	 Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data
Components:	Pre-Coated 96-well Strip Microplate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2748120 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	 Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard Biotinylated Detection Antibody Streptavidin-Conjugated HRP TMB One-Step Substrate
Material not included:	 Distilled or deionized water Precision pipettes to deliver 2 µL to 1 µL volumes Adjustable 1-25 µL pipettes for reagent preparation 100 µL and 1 liter graduated cylinders Tubes to prepare standard and sample dilutions Absorbent paper Microplate reader capable of measuring absorbance at 450nm

• Log-log graph paper or computer and software for ELISA data analysis

Target Details

Target:	Galectin 3 (LGALS3)
Alternative Name:	Galectin-3 (LGALS3 Products)
Target Type:	Chemical
Background:	Galectin-3 (LGALS3)
UniProt:	H9FUB4
Pathways:	RTK Signaling

Application Details

Application Notes:	Recommended Dilution for serum and plasma samples50 fold
Sample Volume:	100 µL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 μ L of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μ L of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μ L of prepared Streptavidin solution to each well.

7. Incubate 45 min at RT.
8. Add 100 μ L of TMB One-Step Substrate Reagent to each well.
9. Incubate 30 min at RT.
10. Add 50 μ L of Stop Solution to each well.
11. Read at 450 nm immediately.
Prepare all reagents, samples and standards as instructed in the manual.Add 100 μL of
standard or sample to each well.Incubate 2.5 h at RT or O/N at 4 °C.Add 100 μL of prepared
biotin antibody to each well.Incubate 1 h at RT.Add 100 μ L of prepared Streptavidin solution to
each well.Incubate 45 min at RT.Add 100 μL of TMB One-Step Substrate Reagent to each
well.Incubate 30 min at RT.Add 50 μ L of Stop Solution to each well.Read at 450 nm
immediately.
For Research Use only
-20 °C
The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated
freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is
freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C.