antibodies -online.com





Datasheet for ABIN2748263

IL-6 Receptor ELISA Kit





Overview

Quantity:	96 tests
Target:	IL-6 Receptor (IL6R)
Reactivity:	Human, Rhesus Monkey
Method Type:	Sandwich ELISA
Detection Range:	12-3000 pg/mL
Minimum Detection Limit:	12 pg/mL
Application:	ELISA

Product Details

Purpose:	Rhesus Monkey IL-6 R ELISA Kit for cell culture supernatants, plasma, and serum samples.
Sample Type:	Plasma, Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This ELISA antibody pair detects Rhesus Monkey and human IL-6R. Other species not determined.
Sensitivity:	12 pg/mL
Characteristics:	 Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data

Product Details

Components:

- · Pre-Coated 96-well Strip Microplate
- · Wash Buffer
- · Stop Solution
- Assay Diluent(s)
- · Lyophilized Standard
- · Biotinylated Detection Antibody
- · Streptavidin-Conjugated HRP
- TMB One-Step Substrate

Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μL to 1 μL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

Target Details

Target:	IL-6 Receptor (IL6R)
Alternative Name:	IL-6R (IL6R Products)
Background:	Interleukin-6 receptor subunit alpha isoform 1 (Fragment)
UniProt:	H9FAX3
Pathways:	JAK-STAT Signaling, Autophagy, Growth Factor Binding, Cancer Immune Checkpoints

Application Notes:	Recommended Dilution for serum and plasma samples30 fold
Sample Volume:	100 μL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 μL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μL of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.

8. Add 100 µL of TMB One-Step Substrate Reagent to each well.

9. Incubate 30 min at RT.

10. Add 50 µL of Stop Solution to each well.

11. Read at 450 nm immediately.

Assay Procedure:

Prepare all reagents, samples and standards as instructed in the manual.Add 100 μ L of standard or sample to each well.Incubate 2.5 h at RT or O/N at 4 °C.Add 100 μ L of prepared biotin antibody to each well.Incubate 1 h at RT.Add 100 μ L of prepared Streptavidin solution to each well.Incubate 45 min at RT.Add 100 μ L of TMB One-Step Substrate Reagent to each well.Incubate 30 min at RT.Add 50 μ L of Stop Solution to each well.Read at 450 nm immediately.

Restrictions:

For Research Use only

Handling

Storage: -20 °C


Storage Comment:

The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C.

Expiry Date:

6 months

Images



Rhesus Macaque IL-6R concentration (pg/ml)

ELISA

Image 1.