# antibodies - online.com







# Osteoprotegerin ELISA Kit



Image



)\/(			

Quantity:	96 tests
Target:	Osteoprotegerin (TNFRSF11B)
Reactivity:	Pig
Method Type:	Sandwich ELISA
Detection Range:	0.1-30 ng/mL
Minimum Detection Limit:	0.1 ng/mL
Application:	ELISA
Product Details	
Purpose:	Porcine Osteoprotegerin (TNFRSF11B) ELISA Kit for Cell Culture Supernatants, Plasma, and
	Serum samples.
Sample Type:	Plasma, Cell Culture Supernatant, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	The antibody pair provided in this kit recognizes Porcine Osteoprotegerin (TNFRSF11B)
Sensitivity:	0.12 ng/mL
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>

## **Product Details**

#### Components:

- · Pre-Coated 96-well Strip Microplate
- · Wash Buffer
- · Stop Solution
- Assay Diluent(s)
- · Lyophilized Standard
- · Biotinylated Detection Antibody
- · Streptavidin-Conjugated HRP
- TMB One-Step Substrate

## Material not included:

- Distilled or deionized water
- Precision pipettes to deliver 2 µL to 1 µL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- Log-log graph paper or computer and software for ELISA data analysis

# **Target Details**

Target:	Osteoprotegerin (TNFRSF11B)
Alternative Name:	Osteoprotegerin (TNFRSF11B Products)
Target Type:	Chemical
Background:	Osteoprotegerin (TNFRSF11B)
Gene ID:	100738370
UniProt:	F1S278

## **Application Details**

Application Notes:	Recommended Dilution for serum and plasma samples2 fold
Sample Volume:	100 μL
Plate:	Pre-coated
Protocol:	<ol> <li>Prepare all reagents, samples and standards as instructed in the manual.</li> <li>Add 100 μL of standard or sample to each well.</li> <li>Incubate 2.5 h at RT or O/N at 4 °C.</li> <li>Add 100 μL of prepared biotin antibody to each well.</li> <li>Incubate 1 h at RT.</li> </ol>

- 6. Add 100 µL of prepared Streptavidin solution to each well.
- 7. Incubate 45 min at RT.
- 8. Add 100 µL of TMB One-Step Substrate Reagent to each well.
- 9. Incubate 30 min at RT.
- 10. Add 50 µL of Stop Solution to each well.
- 11. Read at 450 nm immediately.

#### Assay Procedure:

Prepare all reagents, samples and standards as instructed in the manual. Add 100  $\mu$ L of standard or sample to each well. Incubate 2.5 h at RT or O/N at 4 °C. Add 100  $\mu$ L of prepared biotin antibody to each well. Incubate 1 h at RT. Add 100  $\mu$ L of prepared Streptavidin solution to each well. Incubate 45 min at RT. Add 100  $\mu$ L of TMB One-Step Substrate Reagent to each well. Incubate 30 min at RT. Add 50  $\mu$ L of Stop Solution to each well. Read at 450 nm immediately.

Restrictions:

For Research Use only

# Handling

Storage: -20 °C


Storage Comment:

The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C.

Expiry Date:

6 months

#### **Images**



#### **ELISA**

Image 1.