.-online.com antibodies

Datasheet for ABIN2748509 PDGFRB ELISA Kit



Overview

| Quantity: | 96 tests |
|--------------|----------------|
| Target: | PDGFRB |
| Reactivity: | Rhesus Monkey |
| Method Type: | Sandwich ELISA |
| Application: | ELISA |

Product Details

| Purpose: | Custom Rhesus Macaque Platelet-Derived Growth Factor Receptor beta (PDBFRB) ELISA Kit. |
|--------------------|---|
| Sample Type: | Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Lysate |
| Analytical Method: | Quantitative |
| Detection Method: | Colorimetric |
| Specificity: | The antibody pair provided in this kit recognizes Rhesus Macaque Platelet-Derived Growth Factor Receptor beta (PDBFRB) |
| Characteristics: | Strip plates and additional reagents allow for use in multiple experiments Quantitative protein detection Establishes normal range The best products for confirmation of antibody array data |
| Components: | Pre-Coated 96-well Strip Microplate Wash Buffer Stop Solution Assay Diluent(s) Lyophilized Standard |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2748509 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| Biotinylated Detection Antibody Streptavidin-Conjugated HRP TMB One-Step Substrate |
|---|
| Distilled or deionized water Precision pipettes to deliver 2 µL to 1 µL volumes Adjustable 1-25 µL pipettes for reagent preparation 100 µL and 1 liter graduated cylinders |
| Tubes to prepare standard and sample dilutions Absorbent paper Microplate reader capable of measuring absorbance at 450nm |
| |

• Log-log graph paper or computer and software for ELISA data analysis

Target Details

| Target: | PDGFRB |
|-------------------|---|
| Alternative Name: | PDGF R beta (PDGFRB Products) |
| Background: | Platelet-Derived Growth Factor Receptor beta (PDBFRB) |
| Gene ID: | 711353 |
| UniProt: | F7BTH1 |
| Pathways: | Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Inositol Metabolic Process, Glycosaminoglycan Metabolic Process, Smooth Muscle Cell Migration, Platelet-derived growth Factor Receptor Signaling |

Application Details

| Sample Volume: | 100 µL |
|----------------|---|
| Plate: | Pre-coated |
| Protocol: | 1. Prepare all reagents, samples and standards as instructed in the manual. |
| | 2. Add 100 µL of standard or sample to each well. |
| | 3. Incubate 2.5 h at RT or O/N at 4 °C. |
| | 4. Add 100 μ L of prepared biotin antibody to each well. |
| | 5. Incubate 1 h at RT. |
| | 6. Add 100 µL of prepared Streptavidin solution to each well. |
| | 7. Incubate 45 min at RT. |
| | 8. Add 100 μL of TMB One-Step Substrate Reagent to each well. |
| | 9. Incubate 30 min at RT. |

| Application Details | |
|---------------------|---|
| | 10. Add 50 μL of Stop Solution to each well. 11. Read at 450 nm immediately. |
| Assay Procedure: | Prepare all reagents, samples and standards as instructed in the manual.Add 100 μ L of standard or sample to each well.Incubate 2.5 h at RT or O/N at 4 °C.Add 100 μ L of prepared biotin antibody to each well.Incubate 1 h at RT.Add 100 μ L of prepared Streptavidin solution to each well.Incubate 45 min at RT.Add 100 μ L of TMB One-Step Substrate Reagent to each well.Incubate 30 min at RT.Add 50 μ L of Stop Solution to each well.Read at 450 nm immediately. |
| Restrictions: | For Research Use only |
| Handling | |
| Storage: | -20 °C |
| Storage Comment: | The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C. |
| Expiry Date: | 6 months |