antibodies -online.com





Datasheet for ABIN2748617

RPS6 ELISA Kit



O -		D	4	page
1-0	$T \cap$	$Pr \cap C$	шет	nane
\cup	LO.	1 100	IUCL	Dauc

_						
0	V	0	r_{V}	/1	е.	W

Overview	
Quantity:	96 tests
Target:	RPS6
Binding Specificity:	pSer235, pSer236
Reactivity:	Human, Mouse
Method Type:	Cell ELISA
Application:	ELISA
Product Details	
Purpose:	Cell-Based Human/Mouse RPS6 (S235/S236) Phosphorylation ELISA Kit. Suitable for adherent
	whole cell lines.
Sample Type:	Cell Culture Cells
Analytical Method:	Semi-Quantitative
Detection Method:	Colorimetric
Specificity:	The antibodies provided in this kit recognizes human/mouse/rat RPS6 phosphorylated at
	Serine-235 / Serine-236 and total RPS6 for comparison.
Characteristics:	Site and signal pathway-specific
	In vitro detection of adherent cell culture
	No sample lysis needed
	Compatible with a standard ELISA plate reader
	Faster results than with ELISA
	 Adaptable for high-throughput screening and drug discovery

Product Details

Components:

- · uncoated 96-well Microplate
- · Wash Buffer A
- · Wash Buffer B
- · Fixing Solution
- · Quenching Buffer
- · Blocking Buffer
- · Anti-phospho antibody
- · Anti-pan antibody
- · HRP-Conjugated Secondary Antibody
- TMB One-Step Substrate
- · Stop Solution

Material not included:

- · Distilled or deionized water
- · 100 mL and 1 liter graduated cylinders
- · Tubes to prepare sample dilutions
- Protease and Phosphatase inhibitors
- Precision pipettes to deliver 2 µL to 1 mL volumes
- · Adjustable 1-25 mL pipettes for reagent preparation
- · Benchtop rocker or shaker
- Microplate reader capable of measuring absorbance at 450 nm

Target Details

Target:	RPS6
Alternative Name:	RPS6 (RPS6 Products)
Background:	Disease resistance protein RPS6, Resistance to Pseudomonas syringae 6 (RPS6)
Gene ID:	6194
UniProt:	P62753
Pathways:	Carbohydrate Homeostasis, Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details

Sample Volume:	100 μL
Plate:	Uncoated
Protocol:	 Seed 10,000-30,000 cells into each well and incubate overnight. Apply various treatment, inhibitors or activators according to manufacture's instructions. Add 100 μL of Fixing Solution into each well and incubate for 20 min at RT with shaking.

- 4. Add 200 µL of prepared 1X Quenching Buffer and incubate 20 min at RT.
- 5. Add 200 µL of Blocking Solution and incubate for 1 h at 37 °C.
- 6. Add 50 μ L of 1X anti-phospho-protein specific antibody or anti-pan-protein specific antibody to each well and incubate for 2 h at RT.
- 7. Add 50 µL of prepared 1X HRP-Anti-Rabbit or Mouse IgG and incubate for 1 h at RT.
- 8. Add 100 µL of TMB One-Step Substrate Reagent to each well.
- 9. Incubate 30 min at RT.
- 10. Add 50 µL of Stop Solution to each well.
- 11. Read at 450 nm immediately.

Assay Procedure:

Seed 10,000-30,000 cells into each well and incubate overnight. Apply various treatment, inhibitors or activators according to manufacture's instructions. Add 100 μ L of Fixing Solution into each well and incubate for 20 min at RT with shaking. Add 200 μ L of prepared 1X Quenching Buffer and incubate 20 min at RT. Add 200 μ L of Blocking Solution and incubate for 1 h at 37 °C. Add 50 μ L of 1X anti-phospho-protein specific antibody or anti-pan-protein specific antibody to each well and incubate for 2 h at RT. Add 50 μ L of prepared 1X HRP-Anti-Rabbit or Mouse IgG and incubate for 1 h at RT. Add 100 μ L of TMB One-Step Substrate Reagent to each well. Incubate 30 min at RT. Add 50 μ L of Stop Solution to each well. Read at 450 nm immediately.

Restrictions:

For Research Use only

Handling

Storage:	-20 °C
Storage Comment:	The entire kit may be stored at -20°C for up to 6 months from the date of shipment. Avoid repeated freeze-thaw cycles.
Expiry Date:	6 months