antibodies .- online.com







anti-PCLO antibody





| \sim | | |
|--------|-------|--------|
| ()\/ | r\ /I | \cap |
| Ove | 1 V I | -vv |
| | | _ |

| Quantity: | 0.1 mg |
|--------------|--|
| Target: | PCLO |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This PCLO antibody is un-conjugated |
| Application: | Western Blotting (WB), Flow Cytometry (FACS) |


Product Details

| Immunogen: | Human recombinant PCLO protein |
|-----------------------------|---|
| Clone: | PCLO-01 |
| Isotype: | lgG1 |
| Specificity: | The mouse monoclonal antibody PCLO-01 recognizes PCLO (Piccolo), a more than 400 kDa multidomain protein expressed mainly in the presynaptic cytoplasmatic matrix of the neurons. |
| Cross-Reactivity (Details): | Human |
| Purification: | Purified by protein-A affinity chromatography. |
| Purity: | > 95 % (by SDS-PAGE) |

Target Details

Target Details

| uo (moro |
|------------|
| io (moro |
| ge (more |
| esent in |
| oiled-coil |
| n |
| ents |
| hannels. |
| zonin |
| |
| |
| |
| |
| |
| however |
| AGE. |
| |
| |
| |
| |
| |
| vhich |
| VIIICII |
| VIIICII |
| |
| |



Western Blotting

Image 1. Western blot of human REH erythroid cell line