antibodies -online.com





anti-Ribulose Bisphosphate Carboxylase Small Chain, Chloroplastic (SSU1) antibody



Go to Product page

2 Publications

Overview	
Quantity:	50 μL
Target:	Ribulose Bisphosphate Carboxylase Small Chain, Chloroplastic (SSU1)
Reactivity:	Apple, Arabidopsis thaliana, Barley, Cucumber, Nicotiana tabacum
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide derived from all known sequences of RbcS from monocots and dicots including RuBisCO small subunit 1B of Arabidopsis thaliana At5g38430
Cross-Reactivity (Details):	Not reactive in: cyanobacteria
Predicted Reactivity:	Camellia oleifera, Erythranthe guttata, Flaveria bidentis, Flaveria sonorensis, Glycine max, L, Nicotiana benthamiana, Oryza sativa, Petunia hybrida, Polianthes tuberosa, Populus deltoides, Triticum aestivum, Solanum melongena, Solanum tuberosum, Zea mays, liverwort Marchantia paleacea, green algae
Characteristics:	Expected / apparent Molecular Weight of the Antigene: 20 / 15 kDa
Purification:	serum
Target Details	
Target:	Ribulose Bisphosphate Carboxylase Small Chain, Chloroplastic (SSU1)
Alternative Name:	Rubisco small subunit (SSU) (RbcS) (SSU1 Products)

Target Details

Target Details	
Background:	AGI Code: At5g38430
	Rubisco catalyzes the rate-limiting step of CO2 fixation in photosynthesis. This enzyme
	contains two subunits, each present in eight copies. In plants and green algae, 55-kD large
	subunit is coded by the chloroplast rbcL gene, and the 15-kD small subunit is coded by a family
	of nuclear RbcS genes.
Molecular Weight:	expected: 20 kDa, apparent: 15 kDa
UniProt:	P10796
Application Details	
Application Notes:	1: 5000 with standard ECL (WB)
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	For reconstitution add 50 μL of sterile water.
Handling Advice:	Please, remember to spin tubes briefly prior to opening them to avoid any losses that might
	occur from lyophilized material adhering to the cap or sides of the tubes.
	Once reconstituted make aliquots to avoid repreated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	store lyophilized/reconstituted at -20°C, once reconstituted make aliquots to avoid repeated
	freeze-thaw cycles. Please, remember to spin tubes briefly prior to opening them to avoid any
	losses that might occur from lyophilized material adhering to the cap or sides of the tubes.
Publications	
Product cited in:	Lintala, Schuck, Thormählen, Jungfer, Weber, Weber, Geigenberger, Soll, Bölter, Mulo: "
	Arabidopsis tic62 trol mutant lacking thylakoid-bound ferredoxin-NADP+ oxidoreductase shows
	distinct metabolic phenotype." in: Molecular plant , Vol. 7, Issue 1, pp. 45-57, (2014) (PubMed).
	Sun, Suen, Zhang, Liang, Carrie, Whelan, Ward, Hawkins, Jiang, Lim: "A dual-targeted purple acid
	phosphatase in Arabidopsis thaliana moderates carbon metabolism and its overexpression
	leads to faster plant growth and higher seed yield." in: The New phytologist , Vol. 194, Issue 1,

pp. 206-19, (2012) (PubMed).