antibodies -online.com





anti-CYP2C18 antibody (N-Term)



Image



Go to Product page

\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	100 μL
Target:	CYP2C18
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow, Sheep, Guinea Pig, Horse, Pig, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP2C18 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human CYP2C18
Sequence:	MDPAVALVLC LSCLFLLSLW RQSSGRGRLP SGPTPLPIIG NILQLDVKDM
Predicted Reactivity:	Cow: 79%, Guinea Pig: 79%, Horse: 83%, Human: 100%, Mouse: 86%, Pig: 85%, Rabbit: 83%, Rat: 93%, Sheep: 79%
Characteristics:	This is a rabbit polyclonal antibody against CYP2C18. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	CYP2C18

Target Details

Alternative Name:	CYP2C18 (CYP2C18 Products)
Background:	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein local Alias Symbols: CPCI, CYP2C, CYP2C17, DKFZp686I24235, P450-6B/29C, P450IIC17 Protein Interaction Partner: SDC2, ECSIT, PSEN1, APOE, A2M, Protein Size: 490
Molecular Weight:	56 kDa
Gene ID:	1562
NCBI Accession:	NM_000772, NP_000763
UniProt:	P33260

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 490 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-CYP2C18 Antibody Titration:0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control:HT1080 cell lysate