

# Datasheet for ABIN2773810 anti-ACLY antibody (Middle Region)

2 Images 1 Publication



Go to Product page

Overview	
Quantity:	100 μL
Target:	ACLY
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Pig, Cow, Zebrafish (Danio rerio), Rabbit, Sheep, Dog, Horse, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACLY antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human ACLY
Sequence:	SRTASFSESR ADEVAPAKKA KPAMPQDSVP SPRSLQGKST TLFSRHTKAI
Predicted Reactivity:	Cow: 92%, Dog: 93%, Guinea Pig: 86%, Horse: 92%, Human: 100%, Mouse: 93%, Pig: 93%, Rabbit: 100%, Rat: 93%, Sheep: 92%, Zebrafish: 79%
Characteristics:	This is a rabbit polyclonal antibody against ACLY. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified
Target Details	
Target:	ACLY

# **Target Details**

rarget Details	
Alternative Name:	ACLY (ACLY Products)
Background:	ATP citrate lyase is the primary enzyme responsible for the synthesis of cytosolic acetyl-CoA in many tissues. The enzyme is a tetramer (relative molecular weight approximately 440,000) of apparently identical subunits. It catalyzes the formation of acety Alias Symbols: ACL, ATPCL, CLATP  Protein Interaction Partner: UBC, UBR4, SIRT2, HUWE1, ISG15, KAT2B, SUMO2, SUMO3, STAU1 SUMO1, NEDD8, MDM2, ASB15, WWOX, TRIM25, MAGED2, BAG3, PPP6C, NCL, MCM6, MCM2, KPNA4, KPNA2, PRMT1, CDKN2A, SRRT, UBD, FN1, APP, SHC1, CUL3, CAND1, CUL2, SIRT7, UL27, HDAC5, TERF2, TERF1, GSK3B, Protein Size: 1101
Molecular Weight:	121 kDa
Gene ID:	47
NCBI Accession:	NM_001096, NP_001087
UniProt:	P53396
Pathways:	Warburg Effect
Application Details	
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 1101 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.

### Handling

Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Publications	
Product cited in:	Convertini, Menga, Andria, Scala, Santarsiero, Castiglione Morelli, Iacobazzi, Infantino: "The contribution of the citrate pathway to oxidative stress in Down syndrome." in: <b>Immunology</b> , Vol. 149, Issue 4, pp. 423-431, (2016) (PubMed).

## **Images**



#### **Western Blotting**

Image 1. WB Suggested Anti-ACLY
Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:.12500
Positive Control: ACHN cell lysate
ACLY is strongly supported by BioGPS gene expression data to be expressed in Human ACHN cells

#### **Western Blotting**

Image 2. WB Suggested Anti-ACLY Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: ACHN cell lysate ACLY is strongly supported by BioGPS gene expression data to be expressed in Human ACHN cells