antibodies -online.com







anti-TRIM67 antibody (C-Term)



Image



()	1 /	\sim	rv	11/	11	Α
	1//	⊢	I \/	16	٦,	/\

Quantity:	100 μL
Target:	TRIM67
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rabbit, Rat, Cow, Horse, Dog, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM67 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the C terminal region of human TRIM67
Immunogen: Sequence:	
	TRIM67
Sequence:	TRIM67 GGVCKGATVG VLLDLNKHTL TFFINGQQQG PTAFSHVDGV FMPALSLNRN Cow: 92%, Dog: 92%, Guinea Pig: 92%, Horse: 92%, Human: 92%, Mouse: 92%, Rabbit: 92%, Rat:
Sequence: Predicted Reactivity:	TRIM67 GGVCKGATVG VLLDLNKHTL TFFINGQQQG PTAFSHVDGV FMPALSLNRN Cow: 92%, Dog: 92%, Guinea Pig: 92%, Horse: 92%, Human: 92%, Mouse: 92%, Rabbit: 92%, Rat: 92% This is a rabbit polyclonal antibody against TRIM67. It was validated on Western Blot using a
Sequence: Predicted Reactivity: Characteristics:	TRIM67 GGVCKGATVG VLLDLNKHTL TFFINGQQQG PTAFSHVDGV FMPALSLNRN Cow: 92%, Dog: 92%, Guinea Pig: 92%, Horse: 92%, Human: 92%, Mouse: 92%, Rabbit: 92%, Rat: 92% This is a rabbit polyclonal antibody against TRIM67. It was validated on Western Blot using a cell lysate as a positive control.

Target Details


Alternative Name:	TRIM67 (TRIM67 Products)	
Background:	The specific function of TRIM67 is not yet known. Alias Symbols: FLJ44831, TNL Protein Size: 783	
Molecular Weight:	84 kDa	
Gene ID:	440730	
NCBI Accession:	NM_001004342, NP_001004342	
UniProt:	Q6ZTA4	

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 783 AA	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-TRIM67 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:312500 Positive Control: HepG2 cell lysate