



[Go to Product page](#)

Datasheet for ABIN2773932

## anti-TRMT2B antibody (Middle Region)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	TRMT2B
Binding Specificity:	Middle Region
Reactivity:	Human, Rabbit, Horse, Dog, Mouse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRMT2B antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human CXorf34
Sequence:	GAACGLTSLY FQESTMTRCS HQQSPYQLLF GEPYIFEELL SLKIRISPDA
Predicted Reactivity:	Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%
Characteristics:	This is a rabbit polyclonal antibody against CXorf34. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Protein A purified

#### Target Details

Target:	TRMT2B
Alternative Name:	CXorf34 ( <a href="#">TRMT2B Products</a> )

## Target Details

---

Background: CXorf34 is a putative methyltransferase.  
Alias Symbols: FLJ12687, dJ341D10.3, CXorf34  
Protein Interaction Partner: ERCC1, UBC,  
Protein Size: 504

---

Molecular Weight: 56 kDa

---

Gene ID: 79979

---

NCBI Accession: [NM\\_024917](#), [NP\\_079193](#)

---

UniProt: [Q96GJ1](#)

---

## Application Details

---

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

---

Comment: Antigen size: 504 AA

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Handling Advice: Avoid repeated freeze-thaw cycles.


---

Storage: -20 °C

---

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

---



### Western Blotting

**Image 1.** WB Suggested Anti-CXorf34 Antibody Titration:  
2.5ug/ml Positive Control: HepG2 cell lysate