# antibodies .- online.com







# anti-RABGGTA antibody (N-Term)

**Images** 

**Publications** 



( )	11	$\sim$	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL	
Target:	RABGGTA	
Binding Specificity:	N-Term	
Reactivity:	Human, Mouse, Rat, Cow, Dog, Guinea Pig, Horse, Rabbit	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RABGGTA antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human RABGGTA	
Sequence:	ELAFTDSLIT RNFSNYSSWH YRSCLLPQLH PQPDSGPQGR LPEDVLLKEL	

Cow: 100%, Dog: 100%, Guinea Pig: 100%, Horse: 93%, Human: 100%, Mouse: 100%, Rabbit:

This is a rabbit polyclonal antibody against RABGGTA. It was validated on Western Blot using a

# Characteristics:

Purification:

Predicted Reactivity:

Affinity Purified

cell lysate as a positive control.

93%, Rat: 100%

### **Target Details**

Target: **RABGGTA** 

#### **Target Details**

Alternative Name:	RABGGTA (RABGGTA Products)	
Background:	RABGGTA belongs to the protein prenyltransferase subunit alpha family and contains 6 PFTA	
	repeats. RABGGTA catalyzes the transfer of a geranyl-geranyl moiety from geranyl-geranyl	
	pyrophosphate to both cysteines in Rab proteins with an -XXCC, -XCXC and -CCXX C-terminal,	
	such as RAB1A, RAB3A and RAB5A respectively.	
	Alias Symbols: PTAR3	
	Protein Interaction Partner: UBC, UBA2, VBP1, SSB, PFDN2, RBMXL2, BMPR2, RAB1A,	
	Protein Size: 567	
Molecular Weight:	65 kDa	
Gene ID:	5875	
NCBI Accession:	NM_182836, NP_878256	
UniProt:	Q92696	

## **Application Details**

Application Notes:

Storage Comment:

Comment:	Antigen size: 567 AA
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C

Optimal working dilutions should be determined experimentally by the investigator.


aliquots to prevent freeze-thaw cycles.

For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small

Product cited in:

Ewing, Chu, Elisma, Li, Taylor, Climie, McBroom-Cerajewski, Robinson, OConnor, Li, Taylor, Dharsee, Ho, Heilbut, Moore, Zhang, Ornatsky, Bukhman, Ethier, Sheng, Vasilescu, Abu-Farha, Lambert, Duewel et al.: "Large-scale mapping of human protein-protein interactions by mass spectrometry. ..." in: **Molecular systems biology**, Vol. 3, pp. 89, (2007) (PubMed).


#### **Images**



#### **Western Blotting**

**Image 1.** WB Suggested Anti-RABGGTA Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate RABGGTA is supported by BioGPS gene expression data to be expressed in Jurkat

# **RABGGTA**



#### **Western Blotting**

**Image 2.** Host: Rabbit Target Name: RABGGTA Sample Type: Hela Antibody Dilution: 1.0ug/ml RABGGTA is supported by BioGPS gene expression data to be expressed in HeLa