

Datasheet for ABIN2773966

## anti-Zinc Finger Protein 816A (ZNF816A) (N-Term) antibody



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	Zinc Finger Protein 816A (ZNF816A)
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human ZNF816A
Sequence:	MEFSSTRHSI TGEVIHTGTL QRHKSHHIGD FCFPEMKKDI HHFEFQWQEV
Predicted Reactivity:	Human: 100%
Characteristics:	This is a rabbit polyclonal antibody against ZNF816A. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

#### Target Details

Target:	Zinc Finger Protein 816A (ZNF816A)
---------	------------------------------------

## Target Details

---

Alternative Name: ZNF816A ([ZNF816A Products](#))

---

Background: ZNF816A may be involved in transcriptional regulation.  
Alias Symbols: MGC125619, ZNF816A  
Protein Interaction Partner: UBC,  
Protein Size: 651

---

Molecular Weight: 76 kDa

---

Gene ID: 125893

---

NCBI Accession: [NM\\_001031665](#), [NP\\_001026835](#)

---

UniProt: [Q0VGE8](#)

---

## Application Details

---

Application Notes: Optimal working dilutions should be determined experimentally by the investigator.

---

Comment: Antigen size: 651 AA

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Concentration: Lot specific

---

Buffer: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -20 °C

---

Storage Comment: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

---



### Western Blotting

**Image 1.** WB Suggested Anti-ZNF816A Antibody Titration:  
0.2-1 ug/ml ELISA Titer: 1:62500 Positive Control: HT1080  
cell lysate