

Datasheet for ABIN2774206

anti-TFAP2B antibody (N-Term)





Go to Product page

\sim				
	ve	r\/		٨
\cup	V C	1 V I		٧V

Quantity:	100 μL
Target:	TFAP2B
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Zebrafish (Danio rerio), Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TFAP2B antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	The immunogen is a synthetic peptide directed towards the N terminal region of human TFAP2B
Immunogen: Sequence:	
-	TFAP2B
Sequence:	TFAP2B MHSPPRDQAA IMLWKLVENV KYEDIYEDRH DGVPSHSSRL SQLGSVSQGP Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat:
Sequence: Predicted Reactivity:	TFAP2B MHSPPRDQAA IMLWKLVENV KYEDIYEDRH DGVPSHSSRL SQLGSVSQGP Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100% This is a rabbit polyclonal antibody against TFAP2B. It was validated on Western Blot using a
Sequence: Predicted Reactivity: Characteristics:	TFAP2B MHSPPRDQAA IMLWKLVENV KYEDIYEDRH DGVPSHSSRL SQLGSVSQGP Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100% This is a rabbit polyclonal antibody against TFAP2B. It was validated on Western Blot using a cell lysate as a positive control.
Sequence: Predicted Reactivity: Characteristics: Purification:	TFAP2B MHSPPRDQAA IMLWKLVENV KYEDIYEDRH DGVPSHSSRL SQLGSVSQGP Cow: 100%, Dog: 100%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 100%, Rabbit: 100%, Rat: 100%, Zebrafish: 100% This is a rabbit polyclonal antibody against TFAP2B. It was validated on Western Blot using a cell lysate as a positive control.


Target Details

Alternative Name:	TFAP2B (TFAP2B Products)	
Background:	TFAP2B belongs to the AP-2 family which is developmentally regulated and have distinct	
	overlapping functions in the regulation of many genes governing growth and differentiation.	
	TFAP2B binds DNA as a dimmer and can form homodimers or heterodimers with other AP-2	
	family members. It may be a candidate for conferring susceptibility to type 2 didabetes. This	
	gene encodes a member of the AP-2 family of transcription factors. AP-2 proteins form homo-	
	or hetero-dimers with other AP-2 family members and bind specific DNA sequences. They are	
	thought to stimulate cell proliferation and suppress terminal differentiation of specific cell type	
	during embryonic development. Specific AP-2 family members differ in their expression	
	patterns and binding affinity for different promoters. This protein functions as both a	
	transcriptional activator and repressor. Mutations in this gene result in autosomal dominant	
	Char syndrome, suggesting that this gene functions in the differentiation of neural crest cell	
	derivatives. Publication Note: This RefSeq record includes a subset of the publications that are	
	available for this gene. Please see the Entrez Gene record to access additional publications.	
	PRIMARYREFSEQ_SPAN PRIMARY_IDENTIFIER PRIMARY_SPAN COMP 1-144 AU141084.1 1-	
	144 145-1684 BC037225.1 1-1540 1685-5370 AL049693.16 11928-15613 5371-5770	
	BU738725.1 18-417 c	
	Alias Symbols: AP-2B, AP2-B, MGC21381	
	Protein Interaction Partner: YEATS4, UBC, KCTD1, UBE2I, SUMO1, SSBP4, LZTR1, VPS11,	
	HIST1H2AC, CITED4, MYC, CITED2, CITED1,	
	Protein Size: 460	
Molecular Weight:	50 kDa	
Gene ID:	7021	
NCBI Accession:	NM_003221, NP_003212	
UniProt:	Q92481	
Pathways:	Carbohydrate Homeostasis, Synaptic Membrane	
Application Details		
Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.	
Comment:	Antigen size: 460 AA	

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.

Images



Western Blotting

Image 1. WB Suggested Anti-TFAP2B Antibody Titration:

0.2-1 ug/ml

ELISA Titer: 1:62500

Positive Control: Transfected 293T