

Datasheet for ABIN2774699
anti-FBXO4 antibody (Middle Region)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	FBXO4
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit, Guinea Pig, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXO4 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	The immunogen is a synthetic peptide directed towards the middle region of human FBXO4
Sequence:	KRMPCFYLAH ELHLNLLNHP WLVQDTEAET LTGFLNGIEW ILEEVESKRA
Predicted Reactivity:	Cow: 100%, Dog: 100%, Guinea Pig: 86%, Horse: 100%, Human: 100%, Mouse: 100%, Pig: 93%, Rabbit: 93%, Rat: 100%, Zebrafish: 79%
Characteristics:	This is a rabbit polyclonal antibody against FBXO4. It was validated on Western Blot using a cell lysate as a positive control.
Purification:	Affinity Purified

Target Details

Target:	FBXO4
---------	-------

Target Details

Alternative Name:	FBXO4 (FBXO4 Products)
Background:	<p>FBXO4 is a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which</p> <p>Alias Symbols: DKFZp547N213, FBX4, FLJ10141</p> <p>Protein Interaction Partner: CUL1, TERF1, SKP1, CCND1, HSP90AA1, TP53, ELAVL1, FBXO4, YWHAE, FBXW8, ELF4, UBE2D2, CDC34, NEDD8,</p> <p>Protein Size: 387</p>
Molecular Weight:	44 kDa
Gene ID:	26272
NCBI Accession:	NM_012176 , NP_036308
UniProt:	Q9UKT5

Application Details

Application Notes:	Optimal working dilutions should be determined experimentally by the investigator.
Comment:	Antigen size: 387 AA
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09 % (w/v) sodium azide and 2 % sucrose.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.



Western Blotting

Image 1. WB Suggested Anti-FBXO4 Antibody Titration: 0.2-1 ug/ml ELISA Titer: 1:1562500 Positive Control: OVCAR-3 cell lysate FBXO4 is supported by BioGPS gene expression data to be expressed in OVCAR3

Western Blotting

Image 2. WB Suggested Anti-FBXO4 Antibody Titration: 0.2-1 µg/mL ELISA Titer: 1:1562500 Positive Control: OVCAR-3 cell lysate FBXO4 is supported by BioGPS gene expression data to be expressed in OVCAR3